Author Index of Volume 207

Abou-Hamdan, A., 27
Adachi, G., 233
Akiyama, M., 259
Anouar, A., 223

Basolo, F., 207
Benelli, C., 39
Borrás-Almenar, J. J., 105
Burkert, P. K., 253
Burki, N., 27
Buter, J., 263

Campos, P., 141
Casellato, U., 39
Caudle, L. J., 213
Chacko, K. K., 31
Chanon, M., 59
Chen, Q., 135
Choppin, G. R., 85
Cleary, B. P., 147
Coll, R. K., 191
Colton, R., 227
Conary, G. S., 213
Coronado, E., 105

Decock, P., 223
de Gelder, R., 241
de Graaff, R. A. G., 241
Del Río, F., 93
Di Bernardo, P., 85
Djuran, M. I., 111
Douglas, B. E., 111
Duesler, E. N., 213

Edema, J. J. H., 263
Eder, A. H., 3

Fergusson, J. E., 191
Fidalgo, L., 121
Flörke, U., 79
Folgado, J.-V., 199

Gao, Y.-C., 207
García, J., 93
Garoufis, A., 255
Garralda, M. A., 121
Gatteschi, D., 105
Glass, R. S., 241
Gony, M., 59
Grove, D. M., 131
Guerriero, P., 39

Hadjiliadis, N., 127, 255
Haupt, H.-J., 79
Hernández, R., 121
Higashiyama, N., 233
Holt, D. G. L., 11

Iakovidis, A., 127
Ibarlucea, L., 121
Ichimura, A., 21
Illingsworth, M. L., 147
Isab, A. A., 73
Izumi, Y., 233

James, B. D., 165
James, B. R., 97
Jaswal, J. S., 97
Jaya Reddy, P., 31
Jensen, A. J., 147

Kalkanis, G., 255
Kapteijn, G. M., 131
Karlin, K. D., 135
Kasselouri, S., 255
Katehanakis, A., 255
Kellogg, R. M., 263
Kitagawa, T., 21
Kläui, W., 141
Klein, H.-F., 79
Köhler, H.-J., 31
Kooijman, H., 263
Kostić, T. S., 111

Kowalik-Jankowska, T., 223
Kozłowski, H., 223

Lai, R., 59
Larkworthy, L. F., 11
Leigh, G. J., 11
Lincoln, S. F., 27
Luks, E., 1

Mackay, M. F., 227
Mahroof-Tahir, M., 135
Maricondi, C., 111
Martin, E., 93
Massa, W., 199
McCabe, D. J., 213
Meetsma, A., 263
Merbach, A. E., 27
Morales, D., 93

Negrel, J. C., 59

Ono, Y., 259

Paine, R. T., 213
Perera, S. D., 175
Perlepes, S. P., 255
Pettit, L. D., 223
Piel, M., 31
Pietrass, T., 253
Portanova, R., 85
Potter, I. D., 165
Povey, D. C., 11

Radanović, D. J., 111
Radecka-Paryzek, W., 1
Reedijk, J., 241
Rettig, S. J., 97
Rheingold, A. L., 147
Rode, B. M., 3

Saetia, S., 3
Schwartz, L. J., 147
Schwind, M., 79
Scotti, M., 141
Shaw, B. L., 175
Shen, J.-K., 207
Shi, Q.-Z., 207
Skov, K. A., 97
Smeets, W. J. J., 131
Smith, G. W., 11
Soe, K. N., 21
Spek, A. L., 131, 263
Steffen, L. K., 241
Suh, I.-H., 31
Suzuki, E., 259
Swanson, D. D., 241
Światek-Kozłowska, J., 223

Tamburini, S., 39
Tedesco, V., 227
Thornton-Pett, M., 175
Torrens, H., 93
Tsiamis, C., 179
Tzavellas, L. C., 179

Valderrama, M., 141
van Bolhuis, F., 263
van Koten, G., 131
Vessey, J. D., 175
Vigato, P. A., 39
Vincent, S. J. F., 27

Weber, E., 31
Wilson, G. S., 241
Wocadlo, S., 199

Xue, M., 207

Yapp, D. T. T., 97
Yoshimura, Y., 65

Zanchini, C., 105
Zanonato, P. L., 85
Zubieta, J., 135

Elsevier Sequoia

Inorganica Chimica Acta, 207 (1993) 273–276

Subject Index of Volume 207

Alkaline metal complexes
  ^{23}Na and ^{13}C solid state NMR spectroscopy of *N,N,N',N'*-tetramethylethylenediamine-sodiumcyclopentadienide, 253
Alkoxo complexes
  a new mixed alkoxo aryloxo palladium complex with a bidentate nitrogen donor system, 131
Alkoxo compounds
  direct synthesis of tetramethoxysilane from rice hull ash by reaction with dimethyl carbonate, 259
Alkyne complexes
  single and double π-alkyne coordination in oxidation–reduction equilibria of low-valent trimethylphosphine-cobalt complexes: spontaneous formation of a mixed valence dicobaltatetrahedrane core in the structure of $Co_2Cl(\mu_2\text{-}Me_3E\text{–}C\equiv C\text{–}C\equiv C\text{–}EMe_3)(PMe_3)_4$ (E = Si, C), 79
Amino acid complexes
  separation of optical isomers of *fac*-triscobalt(III) chelates of several L-α-amino acids and dissolution behavior of their isomers in water, 65
  oxidation of the complex *cis*-$[(NH_3)_2Pt(N(3)\text{-}1\text{-}MeC)(N\text{-}gly)](NO_3)\cdot 2H_2O$. An unusual rearrangement of the initial N(3) coordination of 1-MeC with Pt(II) to a final amino coordination with Pt(IV), 127
Antiulcerogenic activity
  the binding ability of famotidine, the antiulcerogenic agent. Ternary complexes with histidine and histamine with copper(II), 223
Aryloxo complexes
  a new mixed alkoxo aryloxo palladium complex with a bidentate nitrogen donor system, 131
Azine compounds
  a seven-bond coupling, $^7J(PP)$ or through space coupling in the azine diphosphine *Z,Z*-$PPh_2CH_2C(Bu^t)\text{=}N\text{–}N\text{=}(Bu^t)\text{-}CCH_2PPh_2$: crystal structure of *Z,Z*-$P(\text{=}O)Ph_2CH_2(Bu^t)\text{=}N\text{–}N\text{=}(Bu^t)CCH_2P(\text{=}O)Ph_2$, 175

Bidentate ligand complexes
  single-crystal EPR study of the bimetallic ferrimagnetic chain $MnCu(EDTA)\cdot 6H_2O$, 105
  phosphine displacement reactions by some alkyl-substituted 1,10-phenanthrolines with bis(triphenyl-phosphine)copper(I)tetrahydroborate, 165
  counterion effects in the spectra and structure of solvato-chromic copper(II) chelates containing 1,2-diamines and β-ketoenols, 179
  1:1 Metal complexes of 2-(2′-pyridyl)quinoxaline, a ligand unexpectedly formed by the reaction between 2-acetyl-pyridine and 1,2-phenylenediamine, 255
Binuclear complexes
  homoleptic binuclear platinum compounds with $C_6F_5S^-$ and C_6HF_4S, 93

Cadmium complexes
  bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electro-chemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241
Carbonyl complexes
  kinetics and mechanism of CO substitution reactions of $M_3(CO)_{12}$ (M = Fe, Ru, Os) in the presence of $(p\text{-}CH_3OC_6H_4)_2TeO$, 207
Chelate complexes
  single-crystal EPR study of the bimetallic ferrimagnetic chain $MnCu(EDTA)\cdot 6H_2O$, 105
  synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands. Part 3. Circular dichroism of cobalt(III) complexes of ethylenediamine-*N,N,N'*-triacetic-*N'*-3-propionic acid and ethylene-diamine-*N,N*-diacetic-*N',N'*-di-3-propionic acid, 111
  counterion effects in the spectra and structure of solvato-chromic copper(II) chelates containing 1,2-diamines and β-ketoenols, 179
  synthesis and structural, spectroscopic and magnetic characterization of iron(II) and iron(III) complexes of *N*-2-pyridinylcarbonyl-2-pyridinecarboximidate, 199
  the binding ability of famotidine, the antiulcerogenic agent. Ternary complexes with histidine and histamine with copper(II), 223
  bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electro-chemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241
  1:1 Metal complexes of 2-(2′-pyridyl)quinoxaline, a ligand unexpectedly formed by the reaction between 2-acetyl-pyridine and 1,2-phenylenediamine, 255
Chelate ligand complexes
  the crystal structure of (*N,N*-diethyldithiocarbamato)-bis-(2-diphenylphosphinoethyl)phenylphosphineplatinum(II)-tetraphenylborate, 227
Cluster complexes
  kinetics and mechanism of CO substitution reactions of $M_3(CO)_{12}$ (M = Fe, Ru, Os) in the presence of $(p\text{-}CH_3OC_6H_4)_2TeO$, 207
Cobalt complexes
  separation of optical isomers of *fac*-triscobalt(III) chelates of several L-α-amino acids and dissolution behavior of their isomers in water, 65
  single and double π-alkyne coordination in oxidation–reduction equilibria of low-valent trimethylphosphine-cobalt complexes: spontaneous formation of a mixed valence dicobaltatetrahedrane core in the structure of $Co_2Cl(\mu_2\text{-}Me_3E\text{–}C\equiv C\text{–}C\equiv C\text{–}EMe_3)(PMe_3)_4$ (E = Si, C), 79
  synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands. Part 3. Circular dichroism of cobalt(III) complexes of ethylenediamine-*N,N,N'*-triacetic-*N'*-3-propionic acid and ethylene-diamine-*N,N*-diacetic-*N',N'*-di-3-propionic acid, 111

Copper complexes
reactivity of copper metal vapours with substituted bromobenzenes. Formation and molecular structure of $Cu(PMe_3)_3Br$, 59
single-crystal EPR study of the bimetallic ferrimagnetic chain $MnCu(EDTA)\cdot 6H_2O$, 105
phosphate ester coordination to dicopper(II) compounds; X-ray structure of a bis(4-nitrophenyl)phosphato bridged dicopper(II) complex, 135
phosphine displacement reactions by some alkyl-substituted 1,10-phenanthrolines with bis(triphenylphosphine)copper(I)tetrahydroborate, 165
counterion effects in the spectra and structure of solvatochromic copper(II) chelates containing 1,2-diamines and β-ketoenols, 179
the binding ability of famotidine, the antiulcerogenic agent. Ternary complexes with histidine and histamine with copper(II), 223
bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electrochemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241
Crown ether complexes
fluorescence properties of europium(II) and other divalent metal ion doubly-doped poly(methacrylate containing 15-crown-5 structure) complexes, 233
Crystal structures
synthesis and structural studies of complexes of vanadium(II) and vanadium(III) halides with tertiary phosphines, 11
octa-coordinated environment for Ag^+ involving an N_2O_6 donor set of two sandwiched pyridino crowns. X-ray crystal structure of the complex between tribenzopyridino-15-crown-5 and silver nitrate (2:1), 31
mononuclear, homo- and heteropolynuclear complexes with acyclic compartmental Schiff bases, 39
reactivity of copper metal vapours with substituted bromobenzenes. Formation and molecular structure of $Cu(PMe_3)_3Br$, 59
single and double π-alkyne coordination in oxidation–reduction equilibria of low-valent trimethylphosphine-cobalt complexes: spontaneous formation of a mixed valence dicobaltatetrahedrane core in the structure of $Co_2Cl(\mu_2\text{-}Me_3E\text{–}C\equiv C\text{–}C\equiv C\text{–}EMe_3)(PMe_3)_4$ (E = Si, C), 79
routes to ruthenium(II) bromo(sulfoxide) complexes, including the synthesis and structural characterization of a neutral dilithium/diruthenium(II) complex containing terminal and bridging tetramethylene sulfoxide ligands, 97
a new mixed alkoxo aryloxo palladium complex with a bidentate nitrogen donor system, 131
phosphate ester coordination to dicopper(II) compounds; X-ray structure of a bis(4-nitrophenyl)phosphato bridged dicopper(II) complex, 135
synthesis, characterization and investigation of molecular motion by variable temperature ^1H NMR of the bis(quadridentate)zirconium(IV) complexes bis(*N*,*N'*-disalicylidene-*cis*-1,2-diaminocyclohexanato)zirconium(IV) and bis(*N*,*N'*-disalicylidene-*trans*-1,2-diaminocyclohexanato)zirconium(IV), and comparisons with bis(*N*,*N'*-disalicylidene-1,2-phenylenediaminato)zirconium(IV). Crystal and molecular structure of the racemic Zr(*trans*-dsd)$_2$ and Zr(*S*,*S*-*trans*-dsd)$_2$ complexes, 147
a seven-bond coupling, ^7J(PP) or through space coupling in the azine diphosphine *Z*,*Z*-$PPh_2CH_2C(Bu^t)=N\text{–}N=(Bu^t)CCH_2PPh_2$: crystal structure of *Z*,*Z*-$P(=O)Ph_2CH_2(Bu^t)=N\text{–}N=(Bu^t)CCH_2P(=O)Ph_2$, 175
synthesis and structural, spectroscopic and magnetic characterization of iron(II) and iron(III) complexes of *N*-2-pyridinylcarbonyl-2-pyridinecarboximidate, 199
synthesis and structural studies of selected multifunctional phosphonate and phosphonic acid ligands, 213
the crystal structure of (*N*,*N*-diethyldithiocarbamato)-bis-(2-diphenylphosphinoethyl)phenylphosphineplatinum(II)-tetraphenylborate, 227
bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electrochemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241
effect of conformation of cyclic sulfide ligands on the mode of complexation to silver salts, 263
Cyclopentadienyl complexes
^{23}Na and ^{13}C solid state NMR spectroscopy of *N*,*N*,*N'*,*N'*-tetramethylethylenediamine-sodiumcyclopentadienide, 253

Diimine complexes
rhodium(I) complexes with diimines. ^1H and ^{119}Sn NMR study of the trichlorostannato compounds, 121
Dinuclear complexes
phosphate ester coordination to dicopper(II) compounds; X-ray structure of a bis(4-nitrophenyl)phosphato bridged dicopper(II) complex, 135
Diphosphine compounds
a seven-bond coupling, ^7J(PP) or through space coupling in the azine diphosphine *Z*,*Z*-$PPh_2CH_2C(Bu^t)=N\text{–}N=(Bu^t)CCH_2PPh_2$: crystal structure of *Z*,*Z*-$P(=O)Ph_2CH_2(Bu^t)=N\text{–}N=(Bu^t)CCH_2P(=O)Ph_2$, 175
Dithiocarbamate complexes
electrochemistry of arylimido rhenium(V) dithiocarbamate complexes $[\{Re(NR)(S_2CNR'_2)_2\}_2O]$ in *N*,*N*-dimethylformamide, 21
Dithiocarbamato complexes
the crystal structure of (*N*,*N*-diethyldithiocarbamato)-bis-(2-diphenylphosphinoethyl)phenylphosphineplatinum(II)-tetraphenylborate, 227

Electrochemistry
HPLC and electrochemical investigations of the salt-induced peptide formation from glycine, alanine, valine and aspartic acid under possible prebiotic conditions, 3
electrochemistry of arylimido rhenium(V) dithiocarbamate complexes $[\{Re(NR)(S_2CNR'_2)_2\}_2O]$ in *N*,*N*-dimethylformamide, 21
bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electrochemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241

Europium complexes
fluorescence properties of europium(II) and other divalent metal ion doubly-doped poly(methacrylate containing 15-crown-5 structure) complexes, 233

Ferrimagnetism
single-crystal EPR study of the bimetallic ferrimagnetic chain MnCu(EDTA)·6H_2O, 105
Fluorescence
fluorescence properties of europium(II) and other divalent metal ion doubly-doped poly(methacrylate containing 15-crown-5 structure) complexes, 233

Gold complexes
studies on the interaction of gold(I) thiomalate ('myochrysine') with 2-thiouracil in aqueous solution followed by ^{13}C NMR spectroscopy, 73

Halide complexes
synthesis and structural studies of complexes of vanadium(II) and vanadium(III) halides with tertiary phosphines, 11
reactivity of copper metal vapours with substituted bromobenzenes. Formation and molecular structure of $Cu(PMe_3)_3Br$, 59
routes to ruthenium(II) bromo(sulfoxide) complexes, including the synthesis and structural characterization of a neutral dilithium/diruthenium(II) complex containing terminal and bridging tetramethylene sulfoxide ligands, 97
Hydroborate complexes
phosphine displacement reactions by some alkyl-substituted 1,10-phenanthrolines with bis(triphenylphosphine)-copper(I)tetrahydroborate, 165

Imido complexes
electrochemistry of arylimido rhenium(V) dithiocarbamate complexes [{Re(NR)($S_2CNR'_2$)$_2$}$_2$O] in *N*,*N*-dimethylformamide, 21
Iridium complexes
[Cp*Ir{P(O)(OMe)$_2$}$_3$]$^-$, an iridium(III) phosphonate complex acting as a chelating oxygen ligand: synthesis and coordination chemistry, 141
Iron complexes
synthesis and structural, spectroscopic and magnetic characterization of iron(II) and iron(III) complexes of *N*-2-pyridinylcarbonyl-2-pyridinecarboximidate, 199

Kinetics and mechanism
kinetics and mechanism of CO substitution reactions of $M_3(CO)_{12}$ (M = Fe, Ru, Os) in the presence of (p-$CH_3OC_6H_4$)$_2$TeO, 207

Lanthanide complexes
mononuclear, homo- and heteropolynuclear complexes with acyclic compartmental Schiff bases, 39
lanthanide(III) trifluoromethanesulfonate complexes in anhydrous acetonitrile, 85

Macrocyclic complexes
the new triaza macrocyclic complex of the dioxouranium(VI) ion, 1
Macrocyclic ligand complexes
octa-coordinated environment for Ag^+ involving an N_2O_6 donor set of two sandwiched pyridino crowns. X-ray crystal structure of the complex between tribenzopyridino-15-crown-5 and silver nitrate (2:1), 31

Manganese complexes
single-crystal EPR study of the bimetallic ferrimagnetic chain MnCu(EDTA)·6H_2O, 105
Metal complexes
radiation induced reactions of some platinum metal nitrosyl complexes containing tertiary phosphine, arsine and stibine ligands, 191
kinetics and mechanism of CO substitution reactions of $M_3(CO)_{12}$ (M = Fe, Ru, Os) in the presence of (p-$CH_3OC_6H_4$)$_2$TeO, 207
1:1 Metal complexes of 2-(2′-pyridyl)quinoxaline, a ligand unexpectedly formed by the reaction between 2-acetylpyridine and 1,2-phenylenediamine, 255

Nickel complexes
mononuclear, homo- and heteropolynuclear complexes with acyclic compartmental Schiff bases, 39
Nitrosyl complexes
radiation induced reactions of some platinum metal nitrosyl complexes containing tertiary phosphine, arsine and stibine ligands, 191
Nucleobase complexes
oxidation of the complex *cis*-[(NH_3)$_2$Pt(*N*(3)-1-MeC)(*N*-gly)](NO_3)·2H_2O. An unusual rearrangement of the initial N(3) coordination of 1-MeC with Pt(II) to a final amino coordination with Pt(IV), 127

Oxo complexes
the new triaza macrocyclic complex of the dioxouranium(VI) ion, 1
variable-pressure ^1H NMR studies of hexamethylphosphoramide and trimethyl phosphate exchange on dioxouranium(VI), 27

Palladium complexes
a new mixed alkoxo aryloxo palladium complex with a bidentate nitrogen donor system, 131
Peptide compounds
HPLC and electrochemical investigations of the salt-induced peptide formation from glycine, alanine, valine and aspartic acid under possible prebiotic conditions, 3
Phosphate complexes
variable-pressure ^1H NMR studies of hexamethylphosphoramide and trimethyl phosphate exchange on dioxouranium(VI), 27
phosphate ester coordination to dicopper(II) compounds; X-ray structure of a bis(4-nitrophenyl)phosphato bridged dicopper(II) complex, 135
Phosphine complexes
synthesis and structural studies of complexes of vanadium(II) and vanadium(III) halides with tertiary phosphines, 11
reactivity of copper metal vapours with substituted bromobenzenes. Formation and molecular structure of $Cu(PMe_3)_3Br$, 59
phosphine displacement reactions by some alkyl-substituted 1,10-phenanthrolines with bis(triphenylphosphine)copper(I)tetrahydroborate, 165
Phosphonato complexes
[Cp*Ir{P(O)(OMe)$_2$}$_3$]$^-$, an iridium(III) phosphonate complex acting as a chelating oxygen ligand: synthesis and coordination chemistry, 141
Phosphoramide complexes.
variable-pressure ^1H NMR studies of hexamethylphosphoramide and trimethyl phosphate exchange on dioxouranium(VI), 27

Phosphorus compounds
synthesis and structural studies of selected multifunctional phosphonate and phosphonic acid ligands, 213
Photochemistry
radiation induced reactions of some platinum metal nitrosyl complexes containing tertiary phosphine, arsine and stibine ligands, 191
Platinum complexes
homoleptic binuclear platinum compounds with $C_6F_5S^-$ and C_6HF_4S, 93
oxidation of the complex *cis*-$[(NH_3)_2Pt(N(3)\text{-}1\text{-}MeC)(N\text{-}gly)](NO_3)\cdot 2H_2O$. An unusual rearrangement of the initial N(3) coordination of 1-MeC with Pt(II) to a final amino coordination with Pt(IV), 127
the crystal structure of (*N*,*N*-diethyldithiocarbamato)-bis-(2-diphenylphosphinoethyl)phenylphosphineplatinum(II)-tetraphenylborate, 227
Polydentate amine ligand complexes
^{23}Na and ^{13}C solid state NMR spectroscopy of *N*,*N*,*N*′,*N*′-tetramethylethylenediamine-sodiumcyclopentadienide, 253
Polydentate ligand complexes
synthesis and characterization of hexadentate cobalt(III) complexes with new edta-type ligands. Part 3. Circular dichroism of cobalt(III) complexes of ethylenediamine-*N*,*N*,*N*′-triacetic-*N*′-3-propionic acid and ethylenediamine-*N*,*N*-diacetic-*N*′,*N*′-di-3-propionic acid, 111
synthesis and structural, spectroscopic and magnetic characterization of iron(II) and iron(III) complexes of *N*-2-pyridinylcarbonyl-2-pyridinecarboximidate, 199
the binding ability of famotidine, the antiulcerogenic agent. Ternary complexes with histidine and histamine with copper(II), 223
Polymer ligand complexes
fluorescence properties of europium(II) and other divalent metal ion doubly-doped poly(methacrylate containing 15-crown-5 structure) complexes, 233

Rhenium complexes
electrochemistry of arylimido rhenium(V) dithiocarbamate complexes $[\{Re(NR)(S_2CNR'_2)_2\}_2O]$ in *N*,*N*-dimethylformamide, 21
Rhodium complexes
rhodium(I) complexes with diimines. ^1H and ^{119}Sn NMR study of the trichlorostannato compounds, 121
Ruthenium complexes
routes to ruthenium(II) bromo(sulfoxide) complexes, including the synthesis and structural characterization of a neutral dilithium/diruthenium(II) complex containing terminal and bridging tetramethylene sulfoxide ligands, 97

Schiff base complexes
mononuclear, homo- and heteropolynuclear complexes with acyclic compartmental Schiff bases, 39
synthesis, characterization and investigation of molecular motion by variable temperature ^1H NMR of the bis(quadridentate)zirconium(IV) complexes bis(*N*,*N*′-disalicylidene-*cis*-1,2-diaminocyclohexanato)zirconium(IV) and bis(*N*,*N*′-disalicylidene-*trans*-1,2-diaminocyclohexanato)zirconium(IV), and comparisons with bis(*N*,*N*′-disalicylidene-1,2-phenylenediaminato)zirconium(IV). Crystal and molecular structure of the racemic Zr(*trans*-dsd)$_2$ and Zr(*S*,*S*-*trans*-dsd)$_2$ complexes, 147
Silicon compounds
direct synthesis of tetramethoxysilane from rice hull ash by reaction with dimethyl carbonate, 259
Silver complexes
octa-coordinated environment for Ag^+ involving an N_2O_6 donor set of two sandwiched pyridino crowns. X-ray crystal structure of the complex between tribenzo-pyridino-15-crown-5 and silver nitrate (2:1), 31
effect of conformation of cyclic sulfide ligands on the mode of complexation to silver salts, 263
Sulfoxide complexes
routes to ruthenium(II) bromo(sulfoxide) complexes, including the synthesis and structural characterization of a neutral dilithium/diruthenium(II) complex containing terminal and bridging tetramethylene sulfoxide ligands, 97
Sulfur ligand complexes
studies on the interaction of gold(I) thiomalate ('myochrysine') with 2-thiouracil in aqueous solution followed by ^{13}C NMR spectroscopy, 73
effect of conformation of cyclic sulfide ligands on the mode of complexation to silver salts, 263

Thiolato complexes
homoleptic binuclear platinum compounds with $C_6F_5S^-$ and C_6HF_4S, 93
Tin complexes
rhodium(I) complexes with diimines. ^1H and ^{119}Sn NMR study of the trichlorostannato compounds, 121
Tridentate ligand complexes
bis(trithiacyclononane)metal(II) compounds and Jahn–Teller distortions from octahedral geometry, electrochemistry, spectroscopy, and crystal structures of the copper bis(tetrafluoroborate) bis(acetonitrile) complex at 177 K and the cadmium bis(tetrafluoroborate) and copper bis(tetrafluoroborate) bis(nitromethane) complexes at 300 K, 241
Triflate complexes
lanthanide(III) trifluoromethanesulfonate complexes in anhydrous acetonitrile, 85

Uranium complexes
the new triaza macrocyclic complex of the dioxouranium(VI) ion, 1
variable-pressure ^1H NMR studies of hexamethylphosphoramide and trimethyl phosphate exchange on dioxouranium(VI), 27

Vanadium complexes
synthesis and structural studies of complexes of vanadium(II) and vanadium(III) halides with tertiary phosphines, 11

Zirconium complexes
synthesis, characterization and investigation of molecular motion by variable temperature ^1H NMR of the bis(quadridentate)zirconium(IV) complexes bis(*N*,*N*′-disalicylidene-*cis*-1,2-diaminocyclohexanato)zirconium(IV) and bis(*N*,*N*′-disalicylidene-*trans*-1,2-diaminocyclohexanato)zirconium(IV), and comparisons with bis(*N*,*N*′-disalicylidene-1,2-phenylenediaminato)zirconium(IV). Crystal and molecular structure of the racemic Zr(*trans*-dsd)$_2$ and Zr(*S*,*S*-*trans*-dsd)$_2$ complexes, 147